



**CHECKLIST #0225 FOR THE APPROVAL OF:
GLASS BLOCKS (MASONRY)**

- ☐ Basic Requirements Checklist.
- ☐ One set of the manufacturer's 'approval document' including:
 - a. Details of glass block,
 - b. Details of horizontal and vertical reinforcement, and
 - c. Anchoring method of perimeter for all configurations.
- ☐ Calculations verifying tested anchoring method of perimeter channel to the structure using trapezoidal wind load distribution for all possible width and height configurations.
- ☐ One set of manufacturer's design drawings marked and verified by the testing laboratory.

The following current laboratory tests and test reports in compliance with protocol PA 301.

- ☐ Uniform static air test per PA 202-94. (Report wall alignment. See Note 2.)
- ☐ Impact test per PA 201-94. (Report penetration, rupture & block separation. See Note 2.)
- ☐ Cyclic test per PA 203-94. (Report wall alignment. See Note 2.)

Notes:

1. Each design pressure rating requires a new set of tests per protocols.
2. This reporting is required on tests PA201, PA202 & PA203 in addition to that mentioned in the respective protocols.
3. PA201 & PA203 are not applicable if glass block is to be protected by an impact resistant device.

Revised: 12/12/94

C:\Documents and Settings\jh045\My Documents\Visual Studio

Projects\VID\BCCOWEB\BCCOWEB_Local\productcont\1st4\Glass Blocks.doc

Internet mail address: postmaster@buildingcodeonline.com

Homepage: <http://www.buildingcodeonline.com>